

Spare Parts

Components and Spare Part Catalogue
for Dafo Vehicle Fire Protection Systems



Dafo Vehicle Fire Protection | P.O Box 683 | SE-135 26 Tyresö, Sweden
+46 10 1768 100 | support@dafo-vehicle.com | dafo-vehicle.com

1. Control Unit	4
2. Alarm Panel	5
3. Alarm Device	6
4. Automatic Switch-off Unit	7
5. Linear Detector	8
6. Heat Detector BD-P M12	9
7. Cables for CV-01 BK/CK	9
8. Cables	10
9. Cable Entries and Accessories	10
10. Connectors	11
11. Junction Box	12
12. Fuses and Resistance	12
13. Forrex Tank SV-K	12
14. Pressurized Tank with Forrex	13
15. Release Mechanism for Pressurized Tank	14
16. PFK-Tank	14
17. Forrex Tank SV-V	14
18. Nitrogen Cartridges	15
19. Release Mechanism for SV-K	16
20. Nozzle Components	17
21. Pipes and Hoses	18
22. Couplings and Adaptors JIC 12	18

23. Adaptors G 1/4"	19
24. Hose Couplings for JIC	19
25. Hose Couplings for Pipe Threads.....	20
26. Adaptors with BSP-Threads	20
27. Fasteners	20
28. Signs and Labels.....	22
29. Tools and Test Equipment.....	23
30. User Manual.....	24
31. Recharge of Agent Tanks	25

1. Control Unit



**Control Unit
CV-01/CK**

55-3070-60

With M12 Connectors



Control Unit CB-02

55-2445-08 12V

55-2445-10 24V



**Control Unit
CV-01/BK**

55-3070-40

Spare Part Only
With M12 Connectors



**Control Unit
CV-01/BF**

55-3070-30

Spare Part Only
With Cable Glands



**Bracket for Control
Unit CV-01**

55-0693-20 90B

55-0693-25 Straight



Battery Lithium 9V

55-4490-09 CR-V9-DV+

For Control Unit CB-02/
CV-01/CK



**M12 Alarm Panel
Cable**

55-4006-81 1 m

55-4006-82 2 m

55-4006-83 3 m


55-4006-84 4 m

55-4006-85 5 m

55-4006-86 6 m

55-4006-89 10 m

Black Connectors
For Control Unit



**M12 Cable for CV-01
BK/CK**

55-4006-40 Red

For Power Distribution

55-4006-42 Blue

For Linear Detector

55-4006-44 White

For Vehicle Shut-down

55-4006-46 Green

For Actuator

55-4006-48 Yellow

For Alarm Devices

Cables comes in 7.5 m

2. Alarm Panel



Moulded Alarm Panel

55-4020-40 Swedish
55-4020-42 English
55-4020-46 Symbols
With 150 mm Cable
For CV-01/BK/CK



Alarm Panel

55-4020-50 Swedish
55-4020-55 English
55-4020-56 Symbols
With 150 mm Cable
For CV-01/BK/CK



Expiring

Alarm Panel

55-4020-10 Swedish
55-4020-15 English
Spare Part Only
With Micromatch, and 150 mm Cable
For CV-01/BF



Alarm Panel Parts

55-1770-82 Frame
55-1770-84 Cable clamp
55-1770-86 Protective Lid
55-1770-91 Installation Plate



Overlay Kit

55-4020-72
Swedish, German, French,
Spanish, and Russian
Self-adhesive
Contact Dafo for other
Languages



Overlay Kit

55-4020-73
Norwegian, Danish,
Finnish, and English
Self-adhesive
Contact Dafo for other
Languages



Alarm Panel Inserts with Text

55-4021-02 Norwegian
55-4021-04 Finnish
55-4021-06 English
55-4021-08 German
55-4021-10 French
Contact Dafo for other
Languages




Bracket for Alarm Panel

55-0694-20 90B



M12 Alarm Panel Cable


55-4006-81 1 m
55-4006-82 2 m
55-4006-83 3 m
55-4006-84 4 m
55-4006-85 5 m
55-4006-86 6 m
55-4006-89 10 m
Black Connectors
For Control Unit



Y-connector


55-4006-98
For Installation of two
Alarm Panels
For CV-01 BK/CK

3. Alarm Device




Alarm Lamp

55-3300-12 12 VDC
55-3300-24 24 VDC
Ø80x40 mm




Siren Red Low Base

18-0010-10 18-28 VDC
IP54, 102 dB, 12 mA,
Ø93x63 mm



Combined Sounder and Beacon

55-3505-01 24 VDC
IP65, 102 dB, 68/110 mA,
Ø93x121 mm, High Base




Combined Sounder and Beacon

55-3505-03 12 VDC
55-3505-04 24 VDC
IP54, 103 dB, 68/110 mA,
Ø93x90 mm, Low Base



Alarm Horn

55-3400-14 12 VDC
55-3400-24 24 VDC
Without Front Cover,
115 dB, 48/72 W,
Ø97x54 mm




Electronic Siren

55-3405-24 12/24 volt
For CV-01, 97 dB, 200 A



Sounder

55-3421-15 5-28 VDC
Type B/CP 228, IP65,
85 dB, Dual Sound




Mounting Bracket

55-0601-00 90B
For Sounder / Beacon



**Festoon 5 W,
Alarm Lamp**

55-3381-12 12 VDC
55-3381-24 24 VDC



M12 Cable

55-4006-48 Yellow 7.5 m
For Alarm Devices
For CV-01 BK/CK


4. Automatic Switch-off Unit



Automatic Switch Off Unit Kit

55-2021-01


Kit for Automatic Switch-off Unit



Emergency Stop Switch


55-2025-00

Alternating




Master Switch 1-pole

55-2020-01 250 A



Knurled Pin


55-7301-44 4x35 mm



Protective Cap for Master Switch


55-8066-00 Max 50 mm²

55-8066-01 Max 95 mm²



Knurled Protective Brass Pipe


55-2022-03 For Actuator



Clamp with Rubber Cushion

55-7520-13 13 mm


RIT 1/4"



Conduit Hose CDS


55-5896-10 10/13 mm

CSS 3x1.5 mm², Flat Cable, CDS 2x0.5 mm²



Pin

55-2571-06 Gold



Socket

55-2571-26 Gold




Male Housing

55-2572-03 3-pole



Female Housing

55-2572-13 3-pole



Electric Actuator

55-0101-00 Type C3

5. Linear Detector




Linear Detection Wire

55-3253-19 Per Meter

Alarm Temperature:

180 °C / 356°F

Approvals: UL/FM



Protection for Linear Detector


55-5896-50 30 mm

Comes in packs of 20

55-5896-51 30 mm

Comes as a single piece

55-5896-52 60 mm



Y-connector 4-pin

55-4006-96 300 mm

Code A

For Blue M12 Detection Cable

For Dual Detection Circuits



End Resistor Kit

55-3219-18 1.8 kOhm
Green

55-3219-20 0.33 kOhm
Yellow


55-3219-26 5.6 kOhm
Blue



End of Line Circuit

55-3219-58 12V CB-02

55-3219-60 24V CB-02



Clamp for Linear Detector

55-7520-08 8 mm

55-7520-18 18 mm



Splice Kit

55-3219-85 English


For Linear Detection Wire



Label 15x35 mm

55-9112-04 English

55-9112-08 Symbols




M12 Cable

55-4006-42 7.5 m


Linear Detector to CV-01
BK/CK

6. Heat Detector BD-P



Heat Detector w/o Connectors

55-3218-12
Red, 120°C / 248°F
55-3218-17
Red, 162°C / 324°F
55-3218-19
Red, 186°C / 367°F




Mounting Bracket

55-0608-10	90B
55-0608-11	Straight



O-ring

55-8001-11
11.1x1.6 mm




End of Line Resistor

55-3219-02	1.8 kOhm
	Green
55-3219-03	3.3 kOhm
	Black
55-3219-09	9.09 kOhm,
	Black



Set of Connectors

55-3219-70




Male Pin

55-2571-06	Gold
	0.2-0.56 mm ²



Set of Screws and Clamps

55-3206-10	10 mm
55-3206-13	13 mm



Clamp for BD-P


55-7520-10	10 mm
55-7520-13	13 mm

7. M12 Cables for CV-01 BK/CK




M12 Alarm Panel Cable

55-4006-81	1 m
55-4006-82	2 m
55-4006-83	3 m
55-4006-84	4 m
55-4006-85	5 m
55-4006-86	6 m
55-4006-89	10 m
Black Connectors	
For Control Unit	




Y-connector 4-pin

55-4006-96	300 mm
Code A	
For Dual Detection Circuit	
For Blue M12 Detection Cable	



M12 Cables for CV-01


55-4006-40	Red, 7.5 m
For Power Distribution	
55-4006-42	Blue, 7.5 m
For Linear Detector	
55-4006-44	White, 7.5 m
For Vehicle Shut-down	
55-4006-46	Green, 7.5 m
For Actuator	
55-4006-48	Yellow, 7.5 m
For Alarm Devices	
For CV-01 BK/CK	



Cable Gland. 8-pole Code A

55-4006-90	M16 Thread
M12 Connector	
55-4006-93	M16 Thread
M12 Connector	
For Alarm Panel Cables	

8. Cables




Shielded Cable CDS

55-2617-12 2x0.5 mm²

For Linear Detector,
Release Device, and
Alarm Panel

-40°C to +150°C /
-40°F to +302°F

Comes per metre



Unshielded Cable CDS

55-2617-10 2x0.5 mm²


For Linear Detector,
Release Device, and
Alarm Panel

55-2617-16 2x0.75 mm²

For Power Distribution
and Alarm Devices

-40°C to +150°C /
-40°F to +302°F

Comes per metre




Shielded Cable CSS

55-2620-10 Polyuretan

8x0.5+2x1mm²,

For Control Unit

Comes per metre




Shielded Cable CSS

55-2621-03 Polyuretan

3x1.5 mm²

For Power Distribution

Comes per metre



Flat Cable

55-2679-00 10-pole

For Control Unit CV-01



Flat Cable for CV-01

55-2679-03 3 m

55-2679-05 5 m

55-2679-07 7 m

55-2679-10 10 m

With Connectors in both
Ends

For CV-01 with Cable
Gland




Connector for Flat Cable

55-2562-10

Type Micromatch


9. Cable Entries and Accessories



Shielded Cable Gland

55-2301-13 8.6
5-8 mm


55-2301-14 18.6
7-10 mm



Shielded Cable Gland

55-2300-06 18.6
5-8 mm


With Nut and Strain Relief



Rubber Cable Gland TET

55-2330-10 7-10 mm

55-2330-14 10-14 mm




Conduit Hose - Battery

55-5896-14 14/19 mm

Battery Cable 35 mm²


55-5896-17 17/20 mm

Battery Cable 50 mm²




Conduit Hose for RK and CSS

55-5896-04	4.5/7 mm
RK-cable etc.	
55-5896-08	8.5/11 mm
RK-cable etc.	
55-5896-10	10/13 mm
CSS-cable 3x1.5 mm ² , Flat Cable, CDS 2x0.5 mm ²	
55-5896-13	13/16 mm
CSS-cable 8x0.5 + 0.5 mm ²	




2 Pieces Slit Conduit Hose

55-5896-60	10/13 mm
55-5896-64	14/19 mm
55-5896-68	19/23 mm
Two pieces of slit conduit hose	



Shrink Sleeve with Glue

55-5891-40	12.7 /5 mm
Length 40 mm	
55-8066-10	24/6 mm
Length 45 mm	



Cable Ties

55-7580-18	185 mm
55-7580-36	360 mm
55-7580-43	508 mm

10. Connectors




Housing 3-pole

55-2572-03	Male Housing
55-2572-13	Female Housing




Connection Kit 3-pole

55-2438-10
Male and Female Housing, Gold Pin and Socket, Shrink Sleeve and Clamp




Socket Female

55-2571-26	Gold
0.2-0.56 mm ²	
55-2571-29	Gold
0.75-1.5 mm ²	



Pin Male

55-2571-06	Gold
0.2-0.56 mm ²	
55-2571-06	Gold
0.75-1.5 mm ²	



Connector 12-pole

55-2565-10	Housing Contact
55-2565-13	Stain Relief
55-2565-95	Female Socket



Connector M12 Male

55-4006-04	Straight
55-4006-05	90B
With Screw Connection 4-pole, A-code, Plastic/Brass	
For Detection Circuit	



Connector M12 Female

55-4006-14	Straight
55-4006-15	90B
With Screw Connection 4-pole, A-code, Plastic/Brass	
For Detection Circuit	

11. Junction Box



**Junction Box with
CPC-Connector**

55-2434-30



Junction Box

55-2434-41 8-pole
110x80x65, 4 Output



**Connector Kit
Male**

55-2569-16 4-pole



**Connector Kit
Female**


55-2569-26 4-pole

12. Fuses and Resistance



Blade Fuse Holder

55-2201-11 1-pole
With cable, Waterproof



Blade Fuse

55-2205-07 7.5 A
55-2205-10 10 A



Resistor 6W


55-4131-22 22 Ohm

13. Forrex Tank SV-K




**SV-K Tank with
Covers**

55-1651-05 5 L
55-1651-10 10 L
55-1651-12 12.5 L
55-1651-15 15 L
55-1651-20 20 L
55-1651-25 25 L




**SV-K Tank without
Covers**

55-1651-13 12.5 L
55-1651-16 15 L
55-1651-21 20 L




Piston, Complete

55-1800-10



**Outlet Adaptor for
Piston Cylinder**

55-1305-20 1 1/6"
JIC 1.1/16"-12 / UNF
1.3/8"-12



**Blow Clean Valve
NPT**

55-0200-35 1/8"



**Bracket for SV-K
with Covers**

55-0693-00 90B
55-0693-05 Straight



**Bracket for SV-K
w/o Covers**

55-0693-07 90B



Burst Disc

55-1304-20



Kit Screws and Washers for Brackets

55-7095-10 For SV-K
Containing Four Pieces Per Kit



Label

55-9113-20 190x98 mm
Swedish and English
Contact Dafo for other Languages



O-ring

55-8005-50
170.82x6.99 mm

14. Pressurized Tank with Forrex



Tank type SV F24 RT

55-1632-20 SV 100
10 L, Ø 190 x 506 mm
Fitted with Electrical Pressure Switch



Tank type SV F24 RM

55-1630-20 SV 100
10 L, Ø 190 x 506 mm
Fitted with Pressure Gauge



Tank type SV RT

55-1632-05 SV 50
5 L, Ø 160 x 383 mm
55-1632-10 SV 100
10 L, Ø 190 x 506 mm
Fitted with electrical Pressure Switch.
For use with Release Mechanism WHE.



Tank type RM

55-1630-05 SV 50
5 L, Ø 160 x 383 mm
55-1630-10 SV 100
10 L, Ø 190 x 506 mm
Fitted with Pressure Gauge.
For use with Release Mechanism WHE



Universal Bracket

55-0692-50 1.6 kg
Fits Stored Pressure Containers and other Containers with Length 298-506 mm.

15. Release Mechanism for Pressurized Tank


Components

55-0112-00	WHE Plunger
55-0117-00	Guide ring for pull wire
55-0139-00	Release Mechanism WHE
55-0140-00	WHE Housing
55-0141-00	WHE Jamb Nut
55-2569-16	Cable connector complete for electric actuator F24
55-7162-08	Copper Washer 8.3x11.8x0.8 mm
55-8071-54	Sealing plug WHE KS 3/8", red
55-9113-20	Label for Forrex containers




WHE-Spring

55-0142-00	
Year 12-13	Red
Year 14-15	Blue
Year 16-17	Green
Year 18-19	Black
Year 20-21	Yellow




Electric Actuator

55-0101-00	
Type 2005/3 for WHE	
55-0101-20	
Type 2006/3 for F24	



Gas Generator


55-0102-00	
Thread G 1/8" Comet	



Glass Bulb


55-0115-10	Blue Type
For F24-valve, 141 °C	

16. PFK-Tank



FK-Container


55-1323-10	FK10
55-1323-20	FK20



Mounting Clamp


55-1325-52	
For FK10 and FK20	

17. Forrex Tank SV-V



SV-V Tank

55-1651-60	SV-V 100	10 L
55-1651-62	SV-V 125	12.5 L



Bracket for SV-V

55-0693-30	90B
55-7095-05	Screws and Washers

18. Nitrogen Cartridges




SV-K Cartridge A, TPED

55-1320-07	Empty
N10A, English Label	
55-1320-12	5-15 L
N10A, English Label	
55-1320-13	20-25 L
N20A, English Label	
55-1320-09	Empty
N20A, English Label	
55-1320-06	5-15 L
N10A, Swedish Label	
55-1320-08	20-25 L
N20A, Swedish Label	




SV-K Cartridge B, TPED/DOT

55-1320-11	Empty
N10B, English Label	
55-1320-10	5-15 L
N20B, English Label	
55-1320-21	Empty
N20B, English Label	
55-1320-20	20-25 L
N20B, English Label	
55-1320-22	20-25 L
N20B, Swedish Label	




Dimensions Cartridges

N10A	Ø83x310 mm
N20A	Ø100x385 mm
N10B	Ø90x295 mm
N20B	Ø90x417 mm




Holder for Nitrogen Cartridges

55-1325-10	N10A
55-1325-12	N20A
55-1325-20	N10B
55-1325-22	N20B




Label

55-9104-00	Swedish
55-9104-02	English
For Nitrogen Cartridge	
Contact Dafo for other Languages	




Mounting Clamp

55-1325-50	N10A
55-1325-52	N10B/N20B
55-1325-55	N10B



Activation Cartridge

55-1002-00	LT5-R
55-1002-01	LT10-R
For Mechanical Release Device Nitrogen	




Safety Cap

55-1321-21



Outlet Seal


55-1321-15



Outlet Adapter

55-1321-00

19. Release Mechanism for SV-K



Release Device

55-1310-10


For Pneumatic Electric Release



Release Device

55-1312-10


For Mechanic Pneumatic Electric Release



Release Device

55-1314-10

For Mechanic Release




Electric Release Device

55-1314-60 Complete

55-1314-81 Nut M30x1.5

For Detection Circuit With M12 Connectors



Gas Generator

55-0102-61


With 1 m Red/White Cable, Plastic Adaptor, Rubber Coated Steel Washer 1/4" and Mounted Transport Sleeve.



Gas Generator

55-0102-70


With 200 mm Cable and BDP-Connector



Transport Sleeve

55-0102-95 M8x0.75


35mm Length, Zinc Plated Protective Cap for Gas Generator.



Shielded Adaptor


55-1316-72 G 1/4"

For Gas Generator



Electric Actuator


55-0101-00 Type C3



Check Valve

55-0206-20 G 1/4"

Brass



Steel Washer

55-7154-26 1/4"

Rubber Coated For Release Device



Gasket

55-1000-99 Nitrile

26.5x17x3.3 mm

For Release Device




Safety Pin and Knob

55-1000-79 Knob

For Mechanic Release Device

55-0123-79 Safety Pin

For Release Device



Bracket for Release Devices

55-1001-15

Including Washers and Screws



O-ring

55-1316-18 26.2x3.0 mm

55-1316-30 14.3x2.4 mm

55-1316-34 7.1x1.6 mm

Nitril For Release Device



End Resistor

55-3219-14 1.8 kOhm, Green M12

55-3219-15 5.6 kOhm, Blue M12


For Electric Release Device

20. Nozzle Components




**Nozzle DW2
Complete**

55-6153-04
Nickel Plated Brass




Nozzle type DW2

55-6153-14 OT 1/4",



**Nozzle Body for
DW2 and DN1**

55-6153-20 G 1/4"
For 12 mm Steel Pipe



**Adaptor with
O-ring**

55-6153-16
For Nozzle DW2 and DN1



**Nozzle DN1
Complete**

55-6153-02
Nickel Plated Brass




Nozzle type DN1

55-6153-12 R 1/4"




Blow Off Cap

55-6155-80 Silicone
For Nozzle DW2 and DN1



**Nozzle Adaptor
45B**

55-6153-25 G 1/4" BS
For Nozzle DW2 and DN1




Nozzle Drill Aid

55-6154-55 jig
For Nozzle DW2 and DN1




Drill, jig

55-7290-52 5.2 mm
For Nozzle DW2 and DN1




Nozzle DF140

55-6153-40




**Nozzle Adaptor
Straight**

55-5130-51 G 1/4"
J12-RIF



**Nozzle DM8
Complete**

55-6153-81 G 1/2"
Incl. Couplings and Bracket




DM8 Nozzle

55-6153-80 G 1/2"
With 8 modules




**Bracket for Nozzle
DM8**

55-0693-28
Stainless Steel



**Nozzle for
PFK-System**


55-6108-07 G 1/4"



Bulkhead for PFK

55-5415-24 G 1/4"

21. Pipes and Hoses



Stainless Steel Pipes

55-5001-12 12x1 mm
55-5001-15 15x1.5 mm
Comes in 2 metre



Steel Armoured Hose

55-5813-02	R1T 1/4"	EN853 1SN
55-5813-04	R1T 3/8"	EN853 1SN
55-5813-05	R1T 1/2"	
55-5813-07	R1T 3/4"	EN853 1SN

Comes per metre

22. Couplings and Adaptors JIC 12



Straight Coupling

55-5601-12 JIC 12 mm
UNF 3/4" - UNF 3/4"



Coupling 45B

55-5603-12 JIC 12 mm
UNF 3/4" - UNF 3/4"



Coupling 90B with Adjustable Nut

55-5604-12 JIC 12 mm
UNF 3/4" - UNF 3/4"




T-coupling

55-5605-12 JIC 12 mm
UNF 3/4" - UNF 3/4"




T-coupling Adjustable Leg

55-5606-12 JIC 12 mm
UNF 3/4" - UNF 3/4"




T-coupling Adjustable Arm

55-5607-12 JIC 12 mm
UNF 3/4" - UNF 3/4"




Adaptor 45B with Adjustable Nut

55-5604-62 JIC 12 mm
UNF 3/4" - UNF 3/4"



Bulkhead Adaptor 45B

55-5610-62 JIC 12 mm
UNF 3/4" - UNF 3/4"




Bulkhead Adaptor 90B

55-5610-12 JIC 12 mm
UNF 3/4" - UNF 3/4"




Coupling Bulkhead Straight

55-5609-12 JIC 12 mm
UNF 3/4" - UNF 3/4"



Valve Adaptor

55-5634-31 JIC 12 mm
UNF 3/4" - M14x1,5



Valve Adaptor for F24 Valve

55-5636-32
G 3/8" - UNF 3/4"




**Outlet Adaptor for
SV-K and SV-V**

55-1305-20 JIC 12
UNF 1.3/4" - UNF 1.1/4"



Sleeve

55-5612-12 JIC 12 mm




Nut

55-5611-12 JIC 12 mm
UNF 3/4"




End Plug

55-5614-12 JIC 12 mm
UNF 3/4"



Plug to DM8


55-5425-03 G 1/2"



Adaptor DM8

55-5620-33 JIC 12 mm
G 1/2" - UNF 3/4"

23. Adaptors G 1/4"




**Elbow Adaptor fm
Adjustable Nut**

55-5413-22 G 1/4"- G 1/4"



T-adaptor Steel

55-5416-22 G 1/4"- R 1/4"



**T-adaptor
Adjustable Leg**

55-5416-23 G 1/4"- G 1/4"



Adaptor 90B

55-5412-26 G 1/4"- G 1/4"

24. Hose Couplings for JIC




**Hose Coupling
Straight Adj. Nut**

55-5952-50 JIC 12 mm
For hose 1/2" UNF 3/4"
55-5953-50 JIC 12 mm
For hose 1/2" UNF 1.1/16"
55-5954-50 JIC 12 mm
For hose 3/8" UNF 3/4"



**Hose Coupling
Straight**

55-5952-40 JIC 12 mm
For hose 1/2" UNF 3/4"
55-5954-40 JIC 12 mm
For hose 3/8" UNF 3/4"




**Hose Coupling 45B
Adjustable Nut**

55-5952-70 JIC 12 mm
For hose 1/2" UNF 3/4"
55-5954-70 12 mm
For hose 3/8" UNF 3/4"



**Hose Coupling 90B
Adjustable Nut**

55-5952-60 JIC 12 mm
For hose 1/2" UNF 3/4"
55-5953-60 JIC 12 mm
For hose 1/2" UNF 1.1/16"




Compression Sleeve

55-5938-05 1/2"


55-5938-07 3/4"

25. Hose Couplings for Pipe Threads



Hose Coupling Straight Adj. Nut

55-5924-22 G 1/4"




Hose Coupling 45B Adj. Nut

55-5925-22 G 1/4"



Hose Coupling 90B Adj. Nut


55-5926-22 G 1/4"



Compression Sleeve

55-5938-02 1/4"

26. Adaptors with BSP-Threads




Bulkhead Adaptor

55-5415-22 G 1/4" - G 1/4"

55-5415-55 G 1/2" - G 1/4"

55-5415-77 G 3/4" - G 1/4"



Nut for Bulkhead Adaptor

55-5415-82 G 1/4"

55-5415-85 G 1/2"

55-5415-87 G 3/4"



Adaptor Steel

55-5400-11 G 1/4" - G 1/4"

55-5400-33 G 1/2" - G 1/2"

55-5400-44 G 3/4" - G 3/4"

55-5411-22 NPT 1/4" - NPT 1/4"

55-5411-77 NPT 3/4" - NPT 3/4"

27. Fasteners




Plain Washer M6

55-7150-06




Flat Washer M8

55-7150-08



Locknut Steel M6

55-7101-06




Locknut Steel M8

55-7101-08




Washer M12

55-7150-12
Part of 55-7095-10




Flat Washer

55-7150-13
13x24x2 mm




Rubber Coated Washer

55-7154-26 1/4"
13.7x2 mm




Flat Washer M4

55-7150-04



Washer for Valve Adaptor

55-7162-08 Copper
8x12x1 mm



Locknut Steel M12

55-7101-12



Hex Bolt MC6S M12x20

55-7051-92
Part of 55-7095-10




Hex Screw MC6S M8x25

55-7051-85




Hex Screw MC6S 4x20

55-7051-48




Hex Screw M6S 12x30

55-7012-30




Hex Screw R6B

55-7006-25 Self Drilling




Hex Screw M6S 6x20

55-7006-20




Cable Tie

55-7580-18 185 mm
55-7580-36 360 mm
55-7580-43 508 mm



Mounting Clamp

55-7550-12 12 mm
55-7550-14 14 mm
55-7550-15 15 mm
55-7550-18 18 mm
55-7550-22 28 mm



Clamp with Rubber Cushion

55-7520-08 8 mm
55-7520-10 10 mm
55-7520-11 11 mm
55-7520-13 13 mm
55-7520-14 14 mm
55-7520-18 18 mm
55-7520-21 21 mm

28. Signs and Labels




Extinguishing System Release

55-9013-52 80x60 mm

FIRE ALARM

Fire Alarm

55-9008-50 80x50 mm




In Case of Fire Instruction

55-9032-48 80x60 mm



Fire Extinguisher

55-9033-10



Signs Kit for EA System

55-9091-35 Italian
55-9091-39 Swedish
55-9091-40 Finnish
55-9091-43 German
55-9091-46 French
55-9091-47 Spanish
55-9091-49 English
55-9091-52 Greek
55-9091-54 Russian
Semi- and Fully Automatic for Control Unit Type I & U
Contact Dafo for other Languages



Label Kit for CV-01 with SV-K

55-9112-50 Swedish
55-9112-52 Finnish
55-9112-54 Russian
55-9112-56 English
55-9112-57 Spanish
55-9112-58 German
55-9112-59 French
55-9112-62 Norwegian
55-9112-67 Danish
For CV-01 System with Container SV-K
Contact Dafo for other Languages



Label Kit for Bus System

55-9112-31 Swedish
55-9112-32 English
55-9112-34 German
55-9112-37 Spanish
Contact Dafo for other Languages



Kit, with 5 Symbols

55-9112-80
1x Sounder
2x Fire Extinguisher
2x External Actuators



Label for Linear Detection Cable

55-9112-08 60x15 mm



Fire Extinguisher Symbol

55-9112-77 80x55 mm



Label Siren Symbol

55-9112-75 63x35 mm



External Actuation Symbol

55-9112-76 85x25 mm



Fuel Cut off Valve

55-9006-50 100x30 mm




Main Circuit Breaker

55-9007-35 100x30 mm



Engine Stop

55-9034-35 100x30 mm



Before Electric Welding

55-9101-00 95x29 mm




Portable Fire Extinguisher

55-9111-00 85 mm



Annual Control Sticker

15-7095-80 25 mm
Colour Coded Roll with
500 Pieces




Forrex Container

55-9113-20 190x98 mm
Swedish and English
Contact Dafo for other
Languages



Drills and Rivets

55-7200-76 2.3 mm
Kit with Drill and 50
Rivets



Rivet


55-7200-36 2.3 mm



Drill


55-7290-23 2.3 mm

29. Tools and Test Equipment



Test Unit for CV01-BK

55-3014-40



Diagnostic Tool for CV-01/CK

55-3014-50




Test Lamp for CB-02, SV-K

55-3320-36 24V




Test Lamp with Cable

55-3320-34
For halon systems
55-3320-38
For Container F24



Adapter Cable

55-1742-02
For Electric Actuator and
Gas Generator



Pliers for Mounting of Micromatch Connector

59-2005-00




AMP-pliers for Detector Connectors

59-2000-00



Sealing Pliers

15-9100-01
With Edge Cutters
15-9100-11
With Inset 8 mm,
Shaft 3.5 mm, Engraving




Lead Sealing Pliers

15-9100-00
15-9100-10 Inset 9 mm
With Shaft 5 mm



Torque Wrench Kit M12

59-2007-00




Dismounting Tool for Detector Connectors

59-2010-00 Tool
59-2010-01 Sleeve




Pipe Bending Tool

59-9150-05




Swaging Tool JIC

59-9150-00 12 mm




Hex Key

59-2005-07
No anti-rust coating




Aluminium Seal

15-9201-00



Wire for Sealing

15-9200-00 500 m Roll
15-9200-04 10 m



Scale 5kg/1gr

15-9004-62
For Cartridges

30. User Manual



User Manual Forrex Off-Road


55-9111-70 Swedish
55-9111-80 English
Contact Dafo for other
Languages



User Manual Forrex Bus

55-9111-81 Swedish
55-9111-82 English
Contact Dafo for other
Languages

31. Recharge of Agent Tanks




**Refilling Tool for
SV-K Cylinders**

59-3000-20
Type Siphon



**Burst Disc for
Agent Tank**

55-1304-20



**Filling Adaptor for
F24 Container**

15-9050-60



Can with Forrex

57-1050-25	SV-K 25L
57-1051-05	SV-K 5L
57-1051-10	SV 100, F24, SV-K 10L, SV-V 10L
57-1051-12	SV-K 12.5L, SV-V 12.5L
57-1051-15	SV-K 15L
57-1051-20	SV-K 20L



Dafo Vehicle Fire Protection | P.O Box 683 | SE-135 26 Tyresö, Sweden
+46 10 1768 100 | support@dafo-vehicle.com | dafo-vehicle.com